

PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)

Form Num.	UIRL/F/42					
Revision No.	1/2023					
Effective Date	01/02/2023					
Equipment	METALLURGICAL MICROSCOPE					
Sample Serial	UIRL/					

MICROSCOPY & IMAGING LABORATORY SAMPLE SUBMISSION FORM

General Rules and Requirements:

- 1. All information provided should be true.
- 2. Booking will be notified/updated by email.
- 3. Booking procedure
 - a. Complete the application form including valid research vote number.
 - b. Submit the complete application form to UIRL Sample Acceptance Counter.
 - c. Fast Lane is offered to non-UTM customers with an additional 50% charge from the normal price
- 4. Sample Condition & Preparation
 - a. PPMU has the right to cancel any analysis if the sample is suspected to have a high risk on the safety of the operator or can cause damage to the instrument during the analysis. The cost of damage will be borne by the customer.
 - b. The remaining samples will be disposed of within a month after analysis is completed.
- 5. All inquiries regarding **METALLURGICAL MICROSCOPE** should be forwarded to the Assistant Science Officer (Mrs. Norshilyla Binti Mohd Jailani, email: norshilyla@utm.my, tel.: 07-561 0267, Miss. Anis Asyikin Binti Sukari, email: anis.syikin@utm.my, tel.: 07-561 0268) or visit our website at ppmu.utm.my.

1. APPLICANT'S PERSONAL PARTICULARS														
Name of Applicant														
Status of Applicant		Undergraduates			Master			PhD			Research			
Student Matric No.				-			-			-	-			
Faculty/Department														
Hand Phone No. & Email														
2. SUPERVISOR DETAILS (for internal applicant and academic institution only)														
Name of Supervisor														
Staff ID No.														
Faculty/Department														
Hand Phone No.														
Email														
Mode of Payment		Cash		EFT	т		g card		Invo	Invoice		Fast Lane		
*Payment using invoice	Research Vot No. (eg: QJ091600.24C3.01D32)													
	Bala	nce of V2900	0											
Signature & Official Stamp	*A digital signature is not recommended. Any matters raised in the future are beyond our responsibilities.													
3. SAMPLE INFORMATION														
Type of Sample		Powder		Solid	Solid		Bulk			Gel				
Name of Sample														
No. of Sample														
Sample Properties		Normal		Toxi	Тохіс			Carcinogenic						
Already Done Sample Preparation	Yes No													
Magnification to be Used		5X		10X			20X			50X				
Testing Required		EFI		MIA			MEASUREMENT							
Result Information		Full Report			Workbo	Workbook								
Description / Notes														