

 <b>UTM</b> UNIVERSITI TEKNOLOGI MALAYSIA	<b>PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)</b>	Form Num.	UURL/F/108
		Version	2/2025
		Effective Date	15/05/2025
		Equipment	HRTEM 120 kV
		Sample Serial No.	UURL/
		Page	1 of 2
<b>MICROSCOPE FESEM &amp; VPSEM LABORATORY</b>			
<b>SAMPLE SUBMISSION FORM (INDUSTRY)</b>			

**General Rules and Requirements:**

1.	All information provided should be true.
2.	Sample submission procedure.
	a. Complete the Sample Submission Form.
	b. For sample submission via walk-in : Submit the completed Sample Submission Form and samples to UURL Sample Acceptance Counter
	c. For sample submission via mail : Submit the completed Sample Submission Form and the samples. Samples must be packaged in a suitable container for courier delivery. The parcel should be addressed to the person in charge of the instrument, as it will be received directly by them.
3.	Fast lane Service : A priority testing service that provides results within 3 to 7 working days instead of the usual 14 working days. It is offered based on availability with an additional 50% charge from the normal price. Customers must contact the person in charge for this service.
4.	For sample criteria and conditions, refer to UURL Sample Submission Criteria in the PPMU website at ppmu.utm.my.
5.	PPMU has the right to cancel any analysis if the sample is suspected to have a high risk on the safety of the operator or can cause damage to the instrument during the analysis. The cost of damages will be borne by the customer. Posted samples will be received by laboratory personnel.
6.	Only samples that are ready to be analyzed are accepted by the lab.
7.	The remaining samples will be disposed of within a month after analysis is completed.
8.	Quotation will be provided upon request.
9.	Payment must be made within fourteen (14) working days after invoice is issued.
10.	Analysis duration is within fourteen (14) working days after receiving the samples.
11.	The laboratory will provide test results after the payment proof presented to the laboratory personnel.
12.	All inquiries regarding <b>HRTEM120kV</b> should be forwarded to the Assistant Science Officer, Mrs. Norhazalina Haliba, email: nhazalina@utm.my, tel: 07-5610268 or Assistant Science Officer, Mrs. Norshilyla Mohd Jailani, email: norshilyla@utm.my, tel: 07-561 0267 or visit our website at ppmu.utm.my.

**\*All pages must be submitted**

 <b>UTM</b> UNIVERSITI TEKNOLOGI MALAYSIA	<b>PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)</b>	Form Num.	UURL/F/108
		Version	2/2025
		Effective Date	15/05/2025
		Equipment	HRTEM 120 kV
		Sample Serial No.	UURL/
		Page	2 of 2
<b>MICROSCOPE FESEM &amp; VPSEM LABORATORY</b>			
<b>SAMPLE SUBMISSION FORM (INDUSTRY)</b>			

### Application Details:

<b>1. APPLICANT'S PERSONAL PARTICULARS</b>									
Name of Applicant									
Hand Phone No									
Email									
Department/Division									
Signature & Official Stamp		*A digital signature is not recommended. Any matters raised in the future are beyond our responsibilities							
		<input type="checkbox"/> I have read and agreed to the General Rules and Requirements							
<b>2. COMPANY DETAILS</b>									
Name									
Registration No.									
Address									
Telephone No.									
Email									
<b>3. PAYMENT</b>									
Mode of Payment		<input type="checkbox"/> UTM PayHub System		<input type="checkbox"/> Invoice					
Mode of Service		<input type="checkbox"/> Normal				<input type="checkbox"/> Fast Lane			
<b>4. SAMPLE INFORMATION</b>									
Name of Sample									
Total Number of Sample/s									
Sample Properties (Please tick (/))		<input type="checkbox"/> Toxic		<input type="checkbox"/> Carcinogenic		<input type="checkbox"/> Others : _____			
Type of Sample		<input type="checkbox"/> Liquid <input type="checkbox"/> *Powder <input type="checkbox"/> Solid (Please refer PIC)							
		*Sample must be dried and homogenized							
Sample i.d/Labels									
Already Done Sample Preparation		<input type="checkbox"/> Yes				<input type="checkbox"/> No			
Test Required		<input type="checkbox"/> HRTEM120kV				<input type="checkbox"/> SAED			