
 UTM <small>UNIVERSITI TEKNOLOGI MALAYSIA</small>	PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)	Form Num.	UURL/F/34
		Version	3/2025
		Effective Date	15/05/2025
		Equipment	UHPLC-ELSD
		Sample Serial No.	UURL/
		Page	1 of 3
LIQUID CHROMATOGRAPHY LABORATORY			
SAMPLE SUBMISSION FORM (INDUSTRY)			

General Rules and Requirements :


1.	All information provided should be true.
2.	Sample submission procedure.
	a. Complete the Sample Submission Form.
	b. For sample submission via walk-in : Submit the completed Sample Submission Form and samples to UURL Sample Acceptance Counter
	c. For sample submission via mail : Submit the completed Sample Submission Form and the samples. Samples must be packaged in a suitable container for courier delivery. The parcel should be addressed to the person in charge of the instrument, as it will be received directly by them.
3.	Fast lane Service : A priority testing service that provides results within 3 to 7 working days instead of the usual 14 working days. It is offered based on availability with an additional 50% charge from the normal price. Customers must contact the person in charge for this service.
4.	For sample criteria and conditions, refer to UURL Sample Submission Criteria in the PPMU website at ppmu.utm.my.
5.	PPMU has the right to cancel any analysis if the sample is suspected to have a high risk on the safety of the operator or can cause damage to the instrument during the analysis. The cost of damages will be borne by the customer. Posted samples will be received by laboratory personnel.
6.	Only samples that are ready to be analyzed are accepted by the lab.
7.	The remaining samples will be disposed of within a month after analysis is completed.
8.	Quotation will be provided upon request.
9.	Payment must be made within fourteen (14) working days after invoice is issued.
10.	Analysis duration is within fourteen (14) working days after receiving the samples.
11.	The laboratory will provide test results after the payment proof presented to the laboratory personnel.
12.	All enquiries regarding UHPLC should be forwarded to the Assistant Science Officer Mrs. Iryani Nabilah Kasni, email: iryaninabilah@utm.my, or Assistant Engineer, Mr. Amirul Amin Khir Anuar, email: amirulamin@utm.my, tel: 07-555720 or visit our website at ppmu.utm.my

***All pages must be submitted**

 UTM UNIVERSITI TEKNOLOGI MALAYSIA	PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)	Form Num.	UURL/F/34
		Version	3/2025
		Effective Date	15/05/2025
		Equipment	UHPLC-ELSD
		Sample Serial No.	UURL/
		Page	2 of 3
LIQUID CHROMATOGRAPHY LABORATORY			
SAMPLE SUBMISSION FORM (INDUSTRY)			

Application Details :

1. APPLICANT'S PERSONAL PARTICULARS				
Name of Applicant				
Hand Phone No				
Email				
Department/Division				
Signature & Official Stamp	*A digital signature is not recommended. Any matters raised in the future are beyond our responsibilities			
		I have read and agreed to the General Rules and Requirements		
2. COMPANY DETAILS				
Name				
Registration No.				
Address				
Telephone No.				
Email				
3. PAYMENT				
Method of Payment		UTM PayHub System		Invoice
Mode of Service		Normal		Fast Lane
4. SAMPLE & ANALYSIS INFORMATION <i>(please attach the copy of referred journal)</i>				
Name of Sample				
Total Number of Sample/s				
Sample Properties (Please tick (/))		Toxic		Carcinogenic
				Others : _____
Sample i.d/Labels				
Sample Purity				
Targeted Compounds				

 UTM UNIVERSITI TEKNOLOGI MALAYSIA	PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)	Form Num.	UURL/F/34
		Version	3/2025
		Effective Date	15/05/2025
		Equipment	UHPLC-ELSD
		Sample Serial No.	UURL/
		Page	3 of 3
LIQUID CHROMATOGRAPHY LABORATORY			
SAMPLE SUBMISSION FORM (INDUSTRY)			

Type of Column Available	Waters, XBridge BEH C18, 4.6 x 250mm, 5 micron		Waters, XBridge Amide BEH, 4.6 x 250mm, 5 micron				
	Waters, XBridge Phenyl BEH, 4.6 x 250mm, 5 micron		ZORBAX Eclipse Plus C18, Rapid Resolution 4.6 x 100mm 3.5 micron				
	Phenomenex Gemini® 5µm NX-C18 LC column 250 x 4.6 mm						
Elution (please tick (✓))	Isocratic		Gradient				
Injection Volume (µL)							
Flow Rate (mL/min)							
Gain							
Oven Temperature (°C)							
Stoptime (min)							
Postrun (min)							
Mobile Phase or Premix (If Isocratic)	A :		%	C :		%	
	B :		%	D :		%	
Mobile Phase Timetable (If Gradient)	Time (min)	A (%)	B (%)	C (%)	D (%)	Flow (mL/min)	Max Pressure (bar)