

PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)

	Form Num.	UIRL/F/06						
	Version	3/2025						
	Effective Date	17/09/2025						
	Equipment	ULTRAMICROTOME						
	Sample Serial No.	UIRL/						
	Page	1 of 2						

MICROSCOPE SAMPLE PREPARATION LABORATORY SAMPLE SUBMISSION FORM

General Rules and Requirements:

1.	All information provided should be true.							
2.	Sample submission procedure.							
	a. Complete the Sample Submission Form including a valid research vote number.							
	b.	For sample submission via walk-in : Submit the completed Sample Submission Form and samples to UIRL Sample Acceptance Counter						
	C.	For sample submission via mail: Submit the completed Sample Submission Form and the samples. Samples must be packaged in a suitable container for courier delivery. The parcel should be addressed to the person in charge of the instrument, as it will be received directly by them.						
3.	Fast lane Service: A priority testing service that provides results within 3 to 7 working days instead of the usual 14 working days. It is offered based on availability with an additional 50% charge from the normal price. Customers must contact the person in charge for this service.							
4.	For sample criteria and conditions, refer to UIRL Sample Submission Criteria in the PPMU website at ppmu.utm.my.							
5.	PPMU has the right to cancel any analysis if the sample is suspected to have a high risk on the safety of the operator or can cause damage to the instrument during the analysis. The cost of damages will be borne by the customer.							
6.	Only samples that are ready to be analyzed are accepted by the laboratory.							
7.	The remaining samples must be collected by the customer after completion of the analysis. Please inform to the person in charge of the instrument for the sample collection date. Any uncollected samples will be disposed of by the laboratory after one month.							
8.	Quotation will be provided upon request.							
9.	Payment must be made within fourteen (14) working days after invoice is issued.							
10.	Analysis duration is within fourteen (14) working days after receiving the samples.							
11.	The laboratory will provide test results after the payment proof presented to the person in charge of the instrument.							
12.	All inquiries regarding ULTRAMICROTOME should be forwarded to the person in charge of the instrumentAssistant Science Officer, Mrs. Norhazalina Haliba (email: nhazalina@utm.my), or Assistant Engineer, Mrs. Nur Hidayah Azmi, (email: a.nurhidayah@utm.my). UIRL Sample Acceptance Counter phone no.: 07-5333360 (working hours). Visit our website at ppmu.utm.my for more information.							



PUSAT PENGURUSAN MAKMAL UNIVERSITI (PPMU)

Form Num.	UIRL/F/06
Version	3/2025
Effective Date	17/09/2025
Equipment	ULTRAMICROTOME
Sample Serial No.	UIRL/
Page	1 of 2

MICROSCOPE SAMPLE PREPARATION LABORATORY SAMPLE SUBMISSION FORM

Application Details:

1. APPLICANT'S PERSONAL PARTICULARS												
Name of Applicant												
Status of Applicant		Undergraduates		N	Maste	r		PhD)		Researcher	
Student Matric No.			•							•		
Faculty/Department												
Hand Phone No.												
Email												
2. SUPERVISOR DETAILS												
Name of Supervisor												
Staff ID No.												
Faculty/Department												
Hand Phone No.												
Email												
Signature & Official Stamp	*A digital signature is not recommended. Any matters raised in the future are beyond our responsibilities											
	I have read and agreed to the General Rules and Requirements											
3. PAYMENT												
Mode of Payment		UTM PayHub Syst	tem			Log card				nvoice		
Mode of Service	Normal					Fast Lane						
Payment using invoice	Rese (e.g. Q.J0											
4. SAMPLE & ANALYSIS INFORMATION		nce of V29000										
Type of sample	Biology Material											
Name of Sample	<u> </u>											
No. of Sample												
Sample i.d/Labels												
Sample Properties (Please tick (/))	Toxic					Carcinogenic				Othe	rs :	
Already Done Sample Fixation		Yes		No								
Thickness Required												
Staining Required		Yes Types of staining:					No					
Description / Notes												